

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Chicago

2417 Bond Street

University Park, IL 60484

Tel: (708)534-5200

TestAmerica Job ID: 500-91158-1

Client Project/Site: Ponds and Process Tanks

For:

Central Wire (Techalloy)

6509 Olson Road

Union, Illinois 60180

Attn: Robert Johnson



Authorized for release by:

1/29/2015 3:41:04 PM

Sandie Fredrick, Project Manager II

(920)261-1660


sandie.fredrick@testamericainc.com

### LINKS

Review your project  
results through

**Total Access**

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Client Sample Results . . . . .	5
Lab Chronicle . . . . .	7
Certification Summary . . . . .	9
Method Summary . . . . .	10
Sample Summary . . . . .	11
Chain of Custody . . . . .	12
Receipt Checklists . . . . .	13

## Definitions/Glossary

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

### Qualifiers

#### General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
$\alpha$	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## Case Narrative

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Job ID: 500-91158-1

Laboratory: TestAmerica Chicago

### Narrative

Job Narrative  
500-91158-1

### Comments

No additional comments.

### Receipt

The samples were received on 1/22/2015 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.3° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Client Sample Results

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Client Sample ID: P&amp;T Effluent

Lab Sample ID: 500-91158-1

Date Collected: 01/21/15 11:50

Matrix: Ground Water

Date Received: 01/22/15 09:45

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.5		1.0	0.20	ug/L			01/28/15 19:50	1
Tetrachloroethene	<0.17		1.0	0.17	ug/L			01/28/15 19:50	1
Trichloroethene	1.4		0.50	0.19	ug/L			01/28/15 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 125					01/28/15 19:50	1
4-Bromofluorobenzene (Surr)	91		75 - 120					01/28/15 19:50	1
Dibromofluoromethane	89		75 - 120					01/28/15 19:50	1
Toluene-d8 (Surr)	88		75 - 120					01/28/15 19:50	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.19	HF	0.200	0.200	SU			01/22/15 13:27	1

Client Sample ID: North Pond

Lab Sample ID: 500-91158-2

Date Collected: 01/21/15 11:30

Matrix: Ground Water

Date Received: 01/22/15 09:45

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	660		100	26	ug/L		01/22/15 15:58	01/28/15 10:39	1
Lead	2.2		0.50	0.14	ug/L		01/22/15 15:58	01/27/15 15:32	1
Manganese	41		2.5	0.99	ug/L		01/28/15 15:00	01/29/15 10:09	1
Nickel	150		2.0	0.53	ug/L		01/22/15 15:58	01/27/15 15:32	1
Selenium	<0.83		2.5	0.83	ug/L		01/22/15 15:58	01/27/15 15:32	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Nitrate Nitrite	2.5		0.20	0.090	mg/L			01/26/15 13:26	2
pH	7.93	HF	0.200	0.200	SU			01/22/15 13:35	1

Client Sample ID: South Pond

Lab Sample ID: 500-91158-3

Date Collected: 01/21/15 11:40

Matrix: Ground Water

Date Received: 01/22/15 09:45

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1200		100	26	ug/L		01/22/15 15:58	01/28/15 10:44	1
Lead	4.7		0.50	0.14	ug/L		01/22/15 15:58	01/27/15 15:35	1
Manganese	35		2.5	0.99	ug/L		01/28/15 15:00	01/29/15 10:22	1
Nickel	84		2.0	0.53	ug/L		01/22/15 15:58	01/27/15 15:35	1
Selenium	<0.83		2.5	0.83	ug/L		01/22/15 15:58	01/27/15 15:35	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Nitrate Nitrite	0.25		0.10	0.045	mg/L			01/26/15 12:34	1
pH	7.88	HF	0.200	0.200	SU			01/22/15 13:43	1

TestAmerica Chicago

## Client Sample Results

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-91158-4

Date Collected: 01/21/15 12:40

Matrix: Water

Date Received: 01/22/15 09:45

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			01/28/15 19:22	1
Tetrachloroethene	<0.17		1.0	0.17	ug/L			01/28/15 19:22	1
Trichloroethene	<0.19		0.50	0.19	ug/L			01/28/15 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		75 - 125		01/28/15 19:22	1
4-Bromofluorobenzene (Surr)	90		75 - 120		01/28/15 19:22	1
Dibromofluoromethane	91		75 - 120		01/28/15 19:22	1
Toluene-d8 (Surr)	90		75 - 120		01/28/15 19:22	1

## Lab Chronicle

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Client Sample ID: P&amp;T Effluent

Lab Sample ID: 500-91158-1

Date Collected: 01/21/15 11:50

Matrix: Ground Water

Date Received: 01/22/15 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	273884	01/28/15 19:50	DJD	TAL CHI
Total/NA	Analysis	SM 4500 H+ B		1	273268	01/22/15 13:27	SMO	TAL CHI
					(Start)	01/22/15 13:31		
					(End)	01/22/15 13:31		

Client Sample ID: North Pond

Lab Sample ID: 500-91158-2

Date Collected: 01/21/15 11:30

Matrix: Ground Water

Date Received: 01/22/15 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			273275	01/22/15 15:58	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	273877	01/27/15 15:32	MJP	TAL CHI
Total Recoverable	Prep	3005A			273980	01/28/15 15:00	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	274083	01/29/15 10:09	MJP	TAL CHI
Total Recoverable	Prep	3005A			273275	01/22/15 15:58	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	273954	01/28/15 10:39	MJP	TAL CHI
Total/NA	Analysis	353.2		2	273626	01/26/15 13:26	AJR	TAL CHI
Total/NA	Analysis	SM 4500 H+ B		1	273268	01/22/15 13:35	SMO	TAL CHI
					(Start)	01/22/15 13:39		
					(End)	01/22/15 13:39		

Client Sample ID: South Pond

Lab Sample ID: 500-91158-3

Date Collected: 01/21/15 11:40

Matrix: Ground Water

Date Received: 01/22/15 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			273275	01/22/15 15:58	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	273877	01/27/15 15:35	MJP	TAL CHI
Total Recoverable	Prep	3005A			273980	01/28/15 15:00	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	274083	01/29/15 10:22	MJP	TAL CHI
Total Recoverable	Prep	3005A			273275	01/22/15 15:58	PJH	TAL CHI
Total Recoverable	Analysis	6020A		1	273954	01/28/15 10:44	MJP	TAL CHI
Total/NA	Analysis	353.2		1	273626	01/26/15 12:34	AJR	TAL CHI
Total/NA	Analysis	SM 4500 H+ B		1	273268	01/22/15 13:43	SMO	TAL CHI
					(Start)	01/22/15 13:47		
					(End)	01/22/15 13:47		

Client Sample ID: Trip Blank

Lab Sample ID: 500-91158-4

Date Collected: 01/21/15 12:40

Matrix: Water

Date Received: 01/22/15 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	273884	01/28/15 19:22	DJD	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

**Laboratory References:**  
TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200





Certification Summary

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Laboratory: TestAmerica Chicago

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	100201	04-30-15



## Method Summary

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CHI
6020A	Metals (ICP/MS)	SW846	TAL CHI
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL CHI
SM 4500 H+ B	pH	SM	TAL CHI

### Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

## Sample Summary

Client: Central Wire (Techalloy)  
Project/Site: Ponds and Process Tanks

TestAmerica Job ID: 500-91158-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-91158-1	P&T Effluent	Ground Water	01/21/15 11:50	01/22/15 09:45
500-91158-2	North Pond	Ground Water	01/21/15 11:30	01/22/15 09:45
500-91158-3	South Pond	Ground Water	01/21/15 11:40	01/22/15 09:45
500-91158-4	Trip Blank	Water	01/21/15 12:40	01/22/15 09:45



## Login Sample Receipt Checklist

Client: Central Wire (Techalloy)

Job Number: 500-91158-1

Login Number: 91158

List Source: TestAmerica Chicago

List Number: 1

Creator: Kelsey, Shawn M

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.3c
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	